Applicant: Shih-Chieh Hun al. Attorney's Docket 3.: 12862-002001 / 0674-5737US

Serial No.: 09/761,893 Filed: January 17, 2001

Page : 2 of 9

In the claims:

Please amend the claims as follows:

1. (Currently Amended) A method for recovering mesenchymal stem cells, comprising:

- (a) providing a mixture comprising mesenchymal stem cells;
- (b) seeding the mixture into a culture device and isolating the mesenchymal stem cells prior to cell adherence to the culture device; and
 - (c) culturing recovering the mesenchymal stem cells.
- 2. The method as claimed in claim 1, wherein said culture device comprises a plate with pores, wherein the pore size is sufficient for separating mesenchymal stem cells from other cells.
- 3. The method as claimed in claim 2, wherein the pore size ranges from about 0.4 to 40 microns in diameter.
- 4. (Once Amended) The method as claimed in claim 1, wherein the mixture comprises mammalian mesenchymal stem cells.
- 5. (Currently Amended) The method as claimed in claim 4, wherein the cells are selected from the group consisting of fractioned tissue, un-fractioned tissue, and a body fluid.
- 6. (Once Amended) The method as claimed in claim 5, wherein the mixture comprises human mesenchymal stem cells.
- 7. (Currently Amended) The method as claimed in claim 5, wherein the cells are selected from the group consisting of a bone marrow, an embryonic yolk sac, a placenta, an umbilical cord, and a fetal, adolescent or adult body fluid, and a fetal, adolescent or adult tissue.

'Applicant: Shih-Chieh Hun al. Attorney's Docket 10: 12862-002001 / 0674-5737US

Serial No.: 09/761,893 Filed: January 17, 2001

Page : 3 of 9

٠

8. (Cancelled)

- 9. (Once Amended) The method as claimed in claim 1, wherein the mesenchymal stem cells are differentiatable into tissues comprising bone, adipose, or cartilage.
- 10. (Once Amended) The method as claimed in claim 1, wherein the mesenchymal stem cells are characterized by CD 34⁻.
- 11. (Once Amended) The method as claimed in claim 9, wherein the mesenchymal stem cells are cultured in 10% fatal bovine serum-supplemented Dulbecco's modified Eagle's medium containing 1 g/L of glucose.

12-20. (Cancelled)

- 21. (Previously Added) The method as claimed in claim 2, wherein the mixture comprises mammalian mesenchymal stem cells.
- 22. (Currently Amended) The method as claimed in claim 21, wherein the cells are selected from the group consisting of fractioned tissue, un-fractioned tissue, and a body fluid.
- 23. (Previously Added) The method as claimed in claim 22, wherein the body fluid is blood.
- 24. (Previously Added) The method as claimed in claim 22, wherein the mixture comprises human mesenchymal stem cells.
- 25. (Currently Amended) The method as claimed in claim 22, wherein the cells are selected from the group consisting of a bone marrow, an embryonic yolk sac, a placenta, an umbilical cord, and a fetal, adolescent or adult body fluid, and a fetal, adolescent or adult tissue.

'Applicant: Shih-Chieh Hungaral. Attorney's Docket ...o.: 12862-002001 / 0674-5737US

Serial No.: 09/761,893 Filed: January 17, 2001

Page : 4 of 9

26. (Previously Added) The method as claimed in claim 21, wherein the mixture comprises human mesenchymal stem cells.

- 27. (Previously Added) The method as claimed in claim 2, wherein the mesenchymal stem cells are differentiatable into tissues comprising bone, adipose, or cartilage.
- 28. (Previously Added) The method as claimed in claim 2, wherein the mesenchymal stem cells are characterized by CD 34⁻.
- 29. (Previously Added) The method as claimed in claim 2, wherein the mesenchymal stem cells are cultured in 10% fatal bovine serum-supplemented Dulbecco's modified Eagle's medium containing 1 g/L of glucose.
- 30. (Previously Added) The method as claimed in claim 4, wherein the mixture comprises human mesenchymal stem cells.
- 31. (Previously Added) The method as claimed in claim 5, wherein the body fluid is blood.